

415 – Metal Detectable Earplugs Loose 2 Flange Blue

Document Number: HSE 750A Date Of Issue: 15/06/2023

Revision Number: 1

Date of Revision: 15/06/2023



Hearing protectors referenced 410-P20-S102-x18

Test Results BS EN 352-2: 2002

Clause / Test	Requirement	Test Results	UoM	Result
			(See Note 1)	
4.3.6 Minimum attenuation	When tested in accordance with EN 13819-2:2002, 4.2, the values $(M_f - S_f)$ of the ear- plugs shall not be less than the values shown in table 1 of	The ear-plugs met the minimum attenuation requirements of BS EN 352-2:2002 (see Appendix A).	31%	Pass
	BS EN 352-2:2002. See note 1.			

Additional Information / Notes Table 1 of BS EN 352-2:2002

Frequency (Hz)	125	250	500	1000	2000	4000	8000
M _f – s _f (in dB)	5	8	10	12	12	12	12

Note 1: Documentation to be assessed as part of the technical file during the EU Type Examination assessment

Note 2: 'UoM' denotes estimated Uncertainty of Measurement for stated test results. This uncertainty value is based on a standard uncertainty multiplied by a coverage factor k = 2, which provides for a confidence level of approximately 95%

Appendix: Subjective Attenuation Testing

Introduction

BS EN 24869-1:1993 (ISO 4869-1:1990) specifies a subjective method for measuring the attenuation of hearing protection at the threshold of hearing. This method was applied to the samples provided for testing.

Test Subjects

The testing was conducted on sixteen test subjects, as specified by the test standard. The subjects comprised both males and females over a wide range of ages. All subjects were audiometrically screened in accordance with clause 4.4.1 of BS EN 24869-1:1993 prior to the test.

Fitting

Manufacturer's instructions were provided to the test subjects and followed during the fitting of the device. Guidance was also available from the test engineer.









Test Procedure

The procedure specified in BS EN 24869-1:1993, 4.5 was followed.

Results

Frequency, Hz / Attenuation, dB re 20 μPa									
Subject	Sample	63	125	250	500	1000	2000	4000	8000
Ā	1	26	24	24	26	30	32	32	22
В	2	6	6	8	10	16	24	20	12
С	3	10	10	4	10	18	22	22	16
D	4	24	28	22	24	28	34	32	38
E	5	16	20	20	26	22	34	34	42
F	6	24	20	22	16	24	34	32	32
G	7	18	22	22	24	22	24	32	14
Н	8	22	18	18	22	22	36	32	28
Mean attenuation		18.3	18.5	17.5	19.5	22.8	30.0	29.5	25.5
Standard deviation		7.2	7.2	7.4	6.7	4.7	5.7	5.3	11.3
Assumed protection 11.C		11.0	11.3	10.1	12.8	18.1	24.3	24.2	14.2
SNR= 19 H= 20		0	M= 17				L= 13		

No warranty is given or implied with respect to this information or patent infringement. Detectamet Ltd do not accept liability for loss or damage arising from the use of this information. Results are based on a test sample, our general experience and information from our suppliers. Data and results must be confirmed by the buyer by testing for its intended conditions of use.

Helen Morrison Group Managing Director





