

# DETECTAMET

## Technical Data Sheet

Document Reference	510-T470
Date of Issue	26 <sup>th</sup> July 2023
Revision Number	002
Date of Last Revision	16 <sup>th</sup> Oct 2025

### 510-T470

#### Cylinder Brush for Long Handle



#### Technical Data Sheet Applicable To:

510-T470-A221	Metal Detectable Cylinder Brush for Long Handle
---------------	---

#### Industry Usage:

This fully detectable cylinder brush fits onto our detectable handle (526-P01-A43) giving you further reach for cleaning vats and tanks.

#### Features and Benefits:

- Fully metal detectable & X-ray visible (body and bristles)
- Manufactured from EU/FDA food safe approved materials
- Autoclavable up to 134°C (237°F)
- Head size: 83 x 75 x 75mm (3.27 x 2.95 x 2.95")
- Minimum usage temperature: -20°C (-4°F)
- Maximum usage temperature: 80°C (176°F)

#### Material and Compliance information:

This product is compliant with the following regulations:

- REACH
- FDA
- EU 1935/2004 and its updates
- EU 2023/2006 and its updates
- EU 10/2011 and its updates

#### User and maintenance manual

- Remove packaging and any label from tools and disinfect them
- Both manual and autoclave disinfection is possible
- Sanitize tools using appropriate chemical decontamination products, in the concentrations, times and temperatures provided
- Make sure tools completely dry up before next use
- Hang tools while drying up to avoid any contamination, breakage or bristles distortion
- The storing area must be clean and far away from sources of intense light or heat
- Do not use damaged tools, both supports and bristles must be in good state

*\*No warranty is given or implied with respect to this information or patent infringement. Detectamet Ltd do not accept liability for loss or damage arising from the use of this information. Results are based on a test sample, our general experience and information from suppliers. Data and results may be confirmed by the buyer by testing for its intended conditions of use.\**

Safety You Detect

[detectamet.global](https://detectamet.global)

